

Printing date 03.08.2023 Revision: 03.08.2023

1 Identification

- · Product identifier
- · Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment
- · Article number: SDS 477-001.01R02, 5437
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd.

Level 22/2 Market Street

Sydney NSW 2000

Australia

Email: info.anz@ultradent.com

Toll Free: 1-800-290929

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:

Lithium Hexaflurophosphate

· Hazard statements

H302 Harmful if swallowed.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 1)

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:	
7782-42-5	<u> </u>	10-<30%
	Lithium Hexaflurophosphate	10-<30%
	♦ Acute Tox. 3, H301; Acute Tox. 2, H310	
7440-50-8	Copper Foil	<10%
7440-02-0		≥0.1-<1%
	🕸 Carc. 2, H351; STOT RE 1, H372; 아 Skin Sens. 1, H317	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΛI

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 2)

7 Handling and Storage

- · Handling:
- · Precautions for safe handling: See product labeling.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7782-42-5 Graphite

WES Long-term value: 3 mg/m³

7440-50-8 Copper Foil

WES Long-term value: 1* 0.2** mg/m³
*dust & mists (as Cu) **fume

7440-02-0 nickel

WES Long-term value: 1 mg/m³

Metal: Sen

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · Body protection: Protective work clothing

9 Physical and Chemical Properties

- · General Information
- · Appearance:
- · Form: Solid

(Contd. on page 4)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 3)

• Colour: According to product specification

Odour: Not Applicable
Odour threshold: Not determined.
pH-value: Not applicable.

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range: 2,597 °C
 Flash point:
 Flammability (solid, gas):
 Decomposition temperature:
 Undetermined.
 Not applicable.
 Not determined.
 Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not applicable.
Density: Not determined.
Relative density Not determined.
Vapour density Not applicable.
Evaporation rate Not applicable.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable.Kinematic: Not applicable.

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

 Oral
 LD50
 >500 mg/kg

 Dermal
 LD50
 >250 mg/kg

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 4)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

1 / 70			C	7.0
14 1r	ansp	ort u	itorn	<i>iation</i>

UN-Nui	mher
CHATINE	unei

· ADG, IMDG, IATA

UN3481

· UN proper shipping name

 \cdot ADG

3481 LITHIUM ION BATTERIES CONTAINED IN

EQUIPMENT

· IMDG, IATA LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT

- · Transport hazard class(es)
- · ADG, IMDG, IATA



· Class 9 Miscellaneous dangerous substances and articles.

(Contd. on page 6)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

	(Contd. of page
Label	9A
Packing group	
ADG, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code):	-
EMS Number:	F- A , S - I
Stowage Category	A
Stowage Code	SW19 For batteries transported in accordance with SP 37 or SP 377 Category C, unless transported on a show
	international voyage.
Transport in bulk according to Annex II of Mar	nol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
· Limited quantities (LQ) 0	
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	θ
Excepted quantities (EQ)	Code: E0
• • • • •	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 3481 LITHIUM ION BATTERIES CONTAINED I
	EQUIPMENT

1 / D	7	•	C	. •
15 12	$\rho \alpha n I I I I$	atory in	torma	1010
IJM	ez ww	atory in		uvu

	Inventory of Industrial Chemicals Lithium Cobaltate
7782-42-5	
	Lithium Hexaflurophosphate
	Copper Foil
24937-79-9	Poly Vinylidene Fluoride (PVDF)
7440-02-0	nickel
9002-86-2	polyvinyl chloride
9002-88-4	Polyethylene low density
Standard fo	r the Uniform Scheduling of Medicines and Poisons
None of the	ingredients is listed.
Australia: P	riority Existing Chemicals

(Contd. on page 7)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 6)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

· * Data compared to the previous version altered.

AU