



Safety Data Sheet according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

1 Identification

· **Other means of identification**

· **Trade name:** Ultradent™ Porcelain Etch

· **Article number:**

SDS 4-001.18R01, 10324, 10215, 1019, 1108, 405, 405-AU, 406, 406-1, 406-AU, 406-P3, 407, 5560-BR, REF406, REF406-1

· **Relevant identified uses of the substance or mixture and uses advised against**

Professional dental acid etching solution

· **Application of the substance / the mixture** Professional dental acid etching solution

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Ultradent Products, Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512

Ultradent Australia Pty Ltd.
Level 22/2 Market Street
Sydney NSW 2000
Australia

Email: info.anz@ultradent.com
Toll Free: 1-800-290929

· **Further information obtainable from:** Customer Service

· **Emergency telephone number:**

CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

· **Classification of the substance or mixture**



GHS06 skull and crossbones

Acute toxicity - oral – Category 2

H300 Fatal if swallowed.

Acute toxicity - dermal – Category 1

H310 Fatal in contact with skin.

Acute toxicity - inhalation – Category 3

H331 Toxic if inhaled.



GHS08 health hazard

Specific target organ toxicity (repeated exposure) –
Category 1

H372 Causes damage to organs through prolonged or
repeated exposure.



GHS05 corrosion

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: Ultradent™ Porcelain Etch

(Contd. of page 1)

Skin corrosion/irritation – Category 1A

H314 Causes severe skin burns and eye damage.

Eye damage/irritation – Category 1

H318 Causes serious eye damage.

- **Label elements**

- **GHS label elements** Void

- **Hazard pictograms** GHS05, GHS06, GHS08

- **Signal word** Danger

- **Hazard-determining components of labelling:**

Hydrofluoric Acid (≥ 7 - ≤ 10 %)

- **Hazard statements**

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

H372 Causes damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dusts or mists.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

* 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

Hydrofluoric Acid

 ≥ 7 - ≤ 10 %

◆ Acute toxicity - oral – Category 2, H300; Acute toxicity - dermal – Category 1, H310; Acute toxicity - inhalation – Category 2, H330; ◆ Specific target organ toxicity (repeated exposure) – Category 1, H372; ◆ Corrosive to metals – Category 1, H290; Skin corrosion/irritation – Category 1A, H314; Eye damage/irritation – Category 1, H318

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

* 4 First Aid Measures

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: Ultradent™ Porcelain Etch

(Contd. of page 2)

- **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Rub in Ca-gluconate solution or Ca-gluconate gel immediately.
Immediately remove all soiled and contaminated clothing.
Seek immediate medical advice.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Do not induce vomiting; call for medical help immediately.
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:**
Foam, dry chemical, carbon dioxide
Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 3)

- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Unsuitable material for receptacle: glass or ceramic.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
See product labelling.
Keep container tightly sealed.
- **Specific end use(s)** Professional Dental Acid Etching Solution

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

AU

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 4)

9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Gel
- **Colour:** Yellow
- **Odour:** Acidic
- **Odour threshold:** Not determined
- **pH-value at 20 °C:** <1
- **Change in condition**
- **Melting point/freezing point:** Undetermined
- **Initial boiling point and boiling range:** 100 °C
- **Flash point:** Not applicable
- **Flammability** Not applicable
- **Decomposition temperature:** Not determined
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined
- **Upper:** Not determined
- **Vapour pressure:** Not determined
- **Density at 20 °C:** 1.1-1.2 g/cm³
- **Relative density** Not determined
- **Vapour density** Not determined
- **Evaporation rate** Not determined
- **Solubility in / Miscibility with**
- **water:** Not miscible or difficult to mix.
- **Partition coefficient: n-octanol/water:** Not determined
- **Viscosity:**
- **Dynamic:** Not determined
- **Kinematic:** Not determined
- **Other information**
- **Particle characteristics** Not applicable
- **Physical state** Liquid

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:**
- Reacts with organic substances.
- Reacts with strong alkali.
- Reacts with acids.
- Reacts with certain metals.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
- Hydrogen fluoride
- Hydrogen
- Corrosive gases/vapours

AU

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 5)

11 Toxicological Information

- **Information on toxicological effects**

- **Acute toxicity**

Fatal if swallowed.

Fatal in contact with skin.

Toxic if inhaled.

- **LD/LC50 values relevant for classification:**

- **ATE (Acute Toxicity Estimates)**

| | | |
|------------|----------|------------|
| Oral | LD50 | 26.8 mg/kg |
| Dermal | LD50 | 26.8 mg/kg |
| Inhalative | LC50/4 h | 2.68 mg/l |

- **Primary irritant effect:**

- **Skin corrosion/irritation** *Causes severe skin burns and eye damage.*

- **Serious eye damage/irritation** *Causes serious eye damage.*

- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*

- **Germ cell mutagenicity**

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

- **Carcinogenicity**

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

- **Reproductive toxicity**

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

- **STOT-single exposure**

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

- **STOT-repeated exposure**

Does not meet the classification criteria for this hazard class.

Causes damage to organs through prolonged or repeated exposure.

- **Aspiration hazard**

Does not meet the classification criteria for this hazard class.

Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**

- **Aquatic toxicity:** *No further relevant information available.*

- **Persistence and degradability** *No further relevant information available.*

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** *No further relevant information available.*

- **Mobility in soil** *No further relevant information available.*

- **Additional ecological information:**

- **General notes:**

Not hazardous for water.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: Ultradent™ Porcelain Etch







(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · UN-Number · ADG, IMDG, IATA | <p style="text-align: center;">UNI790</p> |
| <ul style="list-style-type: none"> · UN proper shipping name · ADG · IMDG, IATA | <p style="text-align: center;">1790 HYDROFLUORIC ACID HYDROFLUORIC ACID</p> |
| <ul style="list-style-type: none"> · Transport hazard class(es) · ADG | <div style="display: flex; align-items: center; justify-content: center;">   </div> <p style="text-align: center;">8 Corrosive substances. 8+6.1</p> |
| <ul style="list-style-type: none"> · IMDG | <div style="display: flex; align-items: center; justify-content: center;">   </div> <p style="text-align: center;">8 Corrosive substances. 8/6.1</p> |
| <ul style="list-style-type: none"> · IATA | <div style="display: flex; align-items: center; justify-content: center;">   </div> <p style="text-align: center;">8 Corrosive substances. 8 (6.1)</p> |
| <ul style="list-style-type: none"> · Packing group · ADG, IMDG, IATA | <p style="text-align: center;">II</p> |
| <ul style="list-style-type: none"> · Environmental hazards: | <p style="text-align: center;">Not applicable</p> |

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 7)

| | |
|--|---|
| · Special precautions for user | Warning: Corrosive substances. |
| · Hazard identification number (Kemler code): | 86 |
| · EMS Number: | F-A,S-B |
| · Segregation groups | (SGG1) Acids |
| · Stowage Category | D |
| · Stowage Code | SW1 Protected from sources of heat. SW2 Clear of living quarters. |
| · Handling Code | H2 Keep as cool as reasonably practicable |
| · Segregation Code | SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides |

· **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable

· **Transport/Additional information:**

| | |
|-----------------------------------|---|
| · ADG | |
| · Limited quantities (LQ) | 1L |
| · Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · Transport category | 2 |
| · Tunnel restriction code | E |

| | |
|-----------------------------------|---|
| · IMDG | |
| · Limited quantities (LQ) | 1L |
| · Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |

· **UN "Model Regulation":** UN 1790 HYDROFLUORIC ACID, 8 (6.1), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Australian Inventory of Industrial Chemicals**

7732-18-5 Water

11138-66-2 Xanthan Gum

1934-21-0 FD&C Yellow 5

· **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category H1** ACUTE TOXIC

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 20 t

(Contd. on page 9)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 27.04.2026

Revision: 27.04.2026

Trade name: Ultradent™ Porcelain Etch

(Contd. of page 8)

· **Chemical safety assessment:**

Device is a strong acid and is extremely toxic. It is to be used only as directed with PPE, and only by licensed dental professionals.

* **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases from Section 3**

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

· **Department issuing SDS: Regulatory Compliance**

· **Contact:** Customer Service

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

Corrosive to metals – Category 1: Corrosive to metals – Category 1

Acute toxicity - oral – Category 2: Acute toxicity – Category 2

Acute toxicity - dermal – Category 1: Acute toxicity – Category 1

Acute toxicity - inhalation – Category 3: Acute toxicity – Category 3

Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

Specific target organ toxicity (repeated exposure) – Category 1: Specific target organ toxicity (repeated exposure) – Category 1

· *** Data compared to the previous version altered.**